



## Product Specifications / Information



Color: White

### Newer Technology Power2U

#### NWTPWR2U15A14W

UPC Code: 811643015296

Country of Origin: China

### Electrical Specifications

Grounding: Self

Amperage: 15 Amp

Voltage: 125 Volt

NEMA: 5-15R Compliant

Pole: 2

Wire: 3

AC Description: 15A tamper resistant, 125V, NEMA 5-15R, 2P, 3W, Decora body duplex receptacle, straight blade, residential grade, self grounding, back wired, steel strap – White

DC Description: 5.2V, 2500mA (12.5W) Duplex USB charging receptacle with integrated on/off safety switch for USB power

AC Horsepower Ratings at Rated Voltage: 1/2HP

Dielectric Voltage: Withstands 2000V per UL 498

Overload Test, HP Ratings: 125V AC, 58.8A

Current Limiting: Full Rated Current

Temperature Rise: Maximum contact temperature rise 62.95° F (27.6° C);  
Max terminal temperature rise 59.36° (19.8° C)

### Environmental Specifications

Flamability: Rated V-2 per UL94

Operating Temperature: -40° F to 140° F

### Material Specifications

Face and Body Material: Polycarbonate

Line Contacts: Brass Triple-Wipe .031 Thick

Strap Material: Zinc-Plated Steel

Color: White



### Mechanical Specifications

Terminal ID: None; Wires Attached  
Terminal Accomodation: None; Wires Attached  
Product ID: Ratings Marked on Device  
Termination: 14 Gauge Standard Wire

### Compliances

NEMA: WD-1 and WD-6  
ANSI: C-73  
UL 498: File E339607  
UL 514D: File E339607  
UL 1310: File E339607  
CAN/CSA C22.2 No. 223: File E339607  
Patent Number US 7,997,925 B2  
Warranty: 1 Year NewerTech Product Limited

### Wiring Diagram



